|  |  |  | AR                         |
|--|--|--|----------------------------|
|  | Application No.  | Applicant(s)   |                            |
|  | 10/647,945   | OSANAI, JUN  |                            |
| Notice of Allowability   | Examiner   | Art Unit   |                            |
|  | Scott B. Geyer   | 2829   |                            |
| The MAILING DATE of this communication app<br>All claims being allowable, PROSECUTION ON THE MERITS IS<br>herewith (or previously mailed), a Notice of Allowance (PTOL-85<br>NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I<br>of the Office or upon petition by the applicant. See 37 CFR 1.31 | S (OR REMAINS) CLOSED in<br>5) or other appropriate community<br>RIGHTS. This application is s | this application. If not include initial thick the initial initial initial thick the initial thick the initial | led<br>course. <b>THIS</b> |
| 1.   This communication is responsive to an amendment filed  | <u>  11-15-04</u> .  |  |                            |
| 2. The allowed claim(s) is/are <u>1-6</u> .  | •  |  |                            |
| 3. $igotimes$ The drawings filed on <u>03 May 2004</u> are accepted by the $f R$   | Examiner.  | •  |                            |
| 4. ☑ Acknowledgment is made of a claim for foreign priority (a) ☑ All b) ☐ Some* c) ☐ None of the:   | under 35 U.S.C. § 119(a)-(d) o   | or (f).  |                            |
| <ol> <li>Certified copies of the priority documents have</li> </ol>  | ve been received.  |  |                            |
| 2. Certified copies of the priority documents have   | ve been received in Applicatio   | n No   |                            |
| <ol><li>Copies of the certified copies of the priority d</li></ol>   | ocuments have been received  | d in this national stage applica   | ation from the             |
| International Bureau (PCT Rule 17.2(a)).   |  |  |                            |
| * Certified copies not received:   |  |  |                            |
| Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |  | a reply complying with the re  | quirements                 |
| 5. A SUBSTITUTE OATH OR DECLARATION must be sub-<br>INFORMAL PATENT APPLICATION (PTO-152) which gi   |  |  | NOTICE OF                  |
| 6. CORRECTED DRAWINGS ( as "replacement sheets") me  | ust be submitted.  |  |                            |
| (a) I including changes required by the Notice of Draftspe   | rson's Patent Drawing Review   | v ( PTO-948) attached  |                            |
| 1)  hereto or 2)  to Paper No./Mail Date   |  | •  |                            |
| (b) including changes required by the attached Examine<br>Paper No./Mail Date  | r's Amendment / Comment or   | in the Office action of  |                            |
| Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in   |  |  | e back) of                 |
| 7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMENT  |  |  | Note the                   |
|  |  |  |                            |
|  |  | •  |                            |
| Attachment(s)  1. Notice of References Cited (PTO-892)   | 5 Motice of In   | formal Patent Application (PT  | ·O_152\                    |
| <ol> <li>Notice of References Cited (F10-092)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>  | 6. Interview Su  | ummary (PTO-413),  | V-102j                     |
| 3.  Information Disclosure Statements (PTO-1449 or PTO/SB  |  | Mail Date Amendment/Comment  |                            |
| Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit  | · _  |  | OWENCO :                   |
| of Biological Material   | 9.   Other   | Statement of Reasons for All   | )                          |
| or biological Material   | v. 🗀 Oniei   | · )// //   |                            |

Robert Pascal
Supervisory Patent Examiner
Technology Center 2800